L Number	Hits	Search Text	DB	Time stamp
-	89	((built-in-self-test or built-in\$1self-test or BIST) same (control	USPAT;	2004/06/17 14:18
		near4 signal mode) same ((programmable or control\$4 or	US-PGPUB;	
		selectable) near4 (MUX or multiplex\$2)) and (memory or	EPO; JPO;	
		\$2RAM or (plurality near2 addressable near2 memory near2	DERWENT;	
		locations)))	IBM_TDB	
	29	((built-in-self-test or built-in\$1self-test or BIST) same (control	USPAT;	2004/06/16 13:01
	29			2004/00/10 13.0
		near4 signal mode) same ((programmable or control\$4 or	US-PGPUB;	
		selectable) near4 (MUX or multiplex\$2)) and (memory or	EPO; JPO;	
		\$2RAM or (plurality near2 addressable near2 memory near2	DERWENT;	
		locations)) and (external near6 control))	IBM_TDB	
-	37	((built-in-self-test or built-in\$1self-test or BIST) same (control	USPAT;	2004/06/16 17:39
		near4 signal mode) same ((programmable or control\$4 or	US-PGPUB;	
		selectable) near4 (MUX or multiplex\$2)) and (interface near4	EPO; JPO;	
		(logic module device control\$3)))	DERWENT;	
		(10g/c models 201100 common 40///	IBM TDB	
	1	((built-in-self-test or built-in\$1self-test or BIST) same (control	USPAT:	2004/06/16 13:4
·	•		US-PGPUB:	2004/00/10 13.4
		near4 signal mode) same (MUX or multiplex\$2) and (interface	1	
		near4 (logic module device control\$3)) same ((input/output or	EPO; JPO;	
	*	I/O) near2 controller))	DERWENT;	
			IBM_TDB	
-	0	(((built-in-self-test or built-in\$1self-test or BIST) same (MUX or	USPAT;	2004/06/16 13:4
1		multiplex\$2) and (interface near4 (logic module device	US-PGPUB;	
		control\$3)) same ((input/output or I/O or disk) near2	EPO; JPO;	
		controller)) and host near4 controller and disk near4 storage)	DERWENT;	
		Solitionoly) and noothour rooming and alore hour rotorago	IBM_TDB	
	0	(((built-in-self-test or built-in\$1self-test or BIST) same (MUX or	USPAT;	2004/06/16 13:4
	U	multiplex\$2) and ((input/output or I/O or disk) near2 controller))	US-PGPUB;	2004/00/10 13.4
		and host near4 controller and disk near4 storage)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	31	(((built-in-self-test or built-in\$1self-test or BIST) same (MUX or	USPAT;	2004/06/16 14:1
		multiplex\$2) and (input/output or I/O or disk) near2 controller))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	124	(((built-in-self-test or built-in\$1self-test or BIST) and (MUX or	USPAT;	2004/06/16 16:0
		multiplex\$2) and (input/output or I/O or disk) near2 controller))	US-PGPUB;	
		multiplex\(\pi_2\) and (input output of 1/0 of along hour 2 controller))	EPO; JPO;	
			DERWENT;	
	4	////built in a life at an built in 64 a life to at an DICT) and (MI IV an	IBM_TDB	2004/00/40 44.4
-	1	((((built-in-self-test or built-in\$1self-test or BIST) and (MUX or	USPAT;	2004/06/16 14:1
		multiplex\$2) and (input/output or I/O or disk) near2 controller)))	US-PGPUB;	
		and ((built-in-self-test or built-in\$1self-test or BIST) and	EPO; JPO;	,
		disk).ab,ti.	DERWENT;	(
			IBM_TDB	1
-	0	((((built-in-self-test or built-in\$1self-test or BIST) and (MUX or	USPAT;	2004/06/16 14:1
		multiplex\$2) and (input/output or I/O or disk) near2 controller)))	US-PGPUB;	
		and SUT	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3	((built-in-self-test or built-in\$1self-test or BIST) and (SUT or	USPAT;	2004/06/16 14:1
-	٦		US-PGPUB;	2004/00/10 14.1
		system\$1under\$1test))		
			EPO; JPO;	
			DERWENT;	
		.,	IBM_TDB	
-	1	((programmable near5 (built-in-self-test or built-in\$1self-test or	USPAT;	2004/06/16 16:1
		BIST) and (MUX or multiplex\$2) and ((input/output or I/O or	US-PGPUB;	
		disk) near2 controller))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	5	((program\$5 near5 (built-in-self-test or built-in\$1self-test or	USPAT;	2004/06/17 14:4
		BIST)) and (MUX or multiplex\$2) and ((input/output or I/O)	US-PGPUB;	
		near2 controller))		
		nearz controller))	EPO; JPO;	
			DERWENT;	
			IBM TDB	1

-	75	Attaway.in.	USPAT;	2004/06/16 17:05
		•	US-PGPUB;	
	}		EPO; JPO;	
			DERWENT;	}
			IBM_TDB	
	2	Attaway.in. and BIST		2004/06/16 17:05
-		Allaway.iii. and biol	USPAT;	2004/00/10 17:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	Attaway-Brett-W.ini	USPAT;	2004/06/16 17:06
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	l 0	Attaway-Brett-W\$.ini	USPAT;	2004/06/17 09:13
_		Allaway-Diote-vvo.iiii	US-PGPUB;	200-700/17 00:10
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1		USPAT;	2004/06/16 17:08
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:11
	1		US-PGPUB	
_	1		USPAT;	2004/06/16 17:11
	'		US-PGPUB	
	1		USPAT;	2004/06/16 17:15
-	l			2004/00/10 17.13
			US-PGPUB	0004/00/40 47:40
-	1		USPAT;	2004/06/16 17:16
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:18
İ			US-PGPUB	
-	1		USPAT;	2004/06/16 17:18
			US-PGPUB	
_	1		USPAT;	2004/06/16 17:19
_	•		US-PGPUB	200 1100110 11110
	1		USPAT;	2004/06/16 17:20
-	'			2004/00/10 17.20
			US-PGPUB	2004/00/40 47-04
-	1		USPAT;	2004/06/16 17:21
			US-PGPUB	0004/004/047/04
-	1		USPAT;	2004/06/16 17:21
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:24
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:26
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:26
	1		US-PGPUB	
_	1		USPAT;	2004/06/16 17:28
-	1		US-PGPUB	
	1		USPAT;	2004/06/16 17:29
-	1			2004/00/10 17.29
			US-PGPUB	0004/00/40 47 00
-	1		USPAT;	2004/06/16 17:29
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:31
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:31
	1		US-PGPUB	
-	1		USPAT;	2004/06/16 17:32
	'		US-PGPUB	
1_	1		USPAT;	2004/06/16 17:32
-	'			2004/00/10 17.32
			US-PGPUB	2004/00/40 47 00
-	1		USPAT;	2004/06/16 17:32
			US-PGPUB	
-	1		USPAT;	2004/06/16 17:33
i			US-PGPUB	
-	1		USPAT;	2004/06/16 17:33
			US-PGPUB	
Socrah Lliet		1,57,10 DM Decc 2		•

-	1		USPAT; US-PGPUB	2004/06/16 17:33
-	1		115-215	1
-			USPAT;	2004/06/16 17:34
	1		US-PGPUB USPAT;	2004/06/16 17:34
-	1		US-PGPUB USPAT;	2004/06/16 17:34
_	1		US-PGPUB USPAT;	2004/06/16 17:34
-	1		US-PGPUB USPAT;	2004/06/16 17:35
_	1454	external\$2 near4 (program\$5 or select\$4 or control\$4) near5	US-PGPUB USPAT;	2004/06/16 17:38
		(multiplex\$2 or MÜX)	US-PGPUB; EPO; JPO; DERWENT;	
-	64	(external\$2 near4 (program\$5 or select\$4 or control\$4) near5 (multiplex\$2 or MUX)) and (built-in-self-test or built-in\$1self-test or BIST)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/16 17:40
-	2	Attaway-Brett\$.in.	IBM_TDB USPAT; US-PGPUB;	2004/06/17 09:13
-	75	Attaway\$.in.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/17 09:25
-	75	Attaway.in.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/17 09:34
-	2	6636933.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/17 09:36
-	2	6578126.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/17 09:39
-	2	6594739.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/17 09:41
-	0	09927042-\$.did.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/17 09:41
-	0	US-09927042-\$.did.	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/06/17 09:42
-	0	US-09927042\$.did.	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/17 09:42

US-6707718-5 or US-5897632-5 or US-5897601-5 or US-6208477-5 or US-6208473-5 or US-6080413-5 or US-6109418-5 or US-6208477-5 or US-578382-5 or US-5395369-5 or US-52020194557-5 or US-52020174394-5 or US-2020194557-5 or US-2020174394-5 or US-2020194557-5 or US-2020174394-5 or US-2020194557-5 or US-2020174394-5 or US-2020477-5 or US-5897893-5 or US-5892681-5 or US-589565-5 or US-2020174394-5 or US-2020194557-5 or US-52020174394-5 or US-2020194557-5 or US-2020174394-5 or US-2020194557-5 or US-202019457-5 or US-2020174394-5 or US-202019457-5 or US			-		
US-620477-5 or US-5784382-5 or US-535589-5 or US-52020174394-5 or US-2002019457-5 or US-20020174394-5 or US-2002019457-5 or US-5982681-5 or US-62767141-5 or US-5982681-5 or US-6208477-5 or US-5982681-5 or US-6208477-5 or US-5784382-5 or US-5982681-5 or US-59898-5 or US-5784382-5 or US-5982681-5 or US-59898-5 or US-5784382-5 or US-5982681-5 or US-59898-5 or US-5982681-5 or US-5982681-5 or US-20020174394-5 or US-2002019457-5 or US-20020174394-5 or US-2002019457-5 or US-20020174394-5 or US-6002016960-6 or US-60020050663-5 j.d.d.) and (// on ear 2 controller)	-	15			2004/06/17 14:13
US-5258985. or US-5927893-s or US-59202014567. or US-20020194567. or US-20020174394-\$ or US-20020194567. or US-5967832-\$ or US-59269471.8 or US-59269785. or US-59269477. or US-59269487. or U				03-PGP0B	
US-20020056093-\$).did. 1 (US-6707718-\$ or US-5987832-\$ or US-5878051-\$ or US-6467141-\$ or US-6405413-\$ or US-6369418-\$ or US-620477-\$ or US-598085-\$ or US-5980877-\$ or US-598385-\$ or US-5980877-\$ or US-598087-\$ or US-598087-\$ or US-598081-\$).did. or (US-20020194557-\$ or US-5982681-\$).did. or (US-20020194557-\$ or US-5982681-\$).did. or (US-20020194557-\$ or US-5982681-\$).did. or (US-2002005603-\$).did.) and (I/O near2 controller) US-20020056063-\$).did.) and (I/O near2 controller) US-20020060617-14:29 US-20020060617-14:29 US-20020060617-14:29 US-20020060617-14:20 US-2002006063-\$0.000060618-\$			US-5258985-\$ or US-5872793-\$ or US-5982681-\$).did. or		
1 ((U.S-6707718-\$ or U.S-5987632-\$ or U.S-6878051-\$ or U.S-640741-\$ or U.S-6408413-\$ or U.S-6208477-\$ or U.S-620847-\$ or U.S-620847-\$ or U.S-620847-\$ or U.S-620847-\$ or U.S-620847-\$ or U.S-620202056663-\$ or U.S-632783-\$ or U.S-635369-\$ or U.S-6202002065663-\$ or U.S-62020174394-\$ or U.S-20020194557-\$ or U.S-20020174394-\$ or U.S-20020194557-\$ or U.S-20020174394-\$ or U.S-20020194557-\$ or U.S-20020174394-\$ or U.S-20020194557-\$ or U.S-20020174394-\$ or U.S-PCPUB; EPC; J.PO; DERWENT; IBM_TDB U.SPAT; U.S-PCPUB; EPC; J.PO; DERWENT; IBM_TDB U					
US-6467/14/15 or US-6408413-\$ or US-6169418-\$ or US-6208477-\$ or US-5784382-\$ or US-535898-\$ or US-585898-\$ or US-585898-\$ or US-5857898-\$ or US-585789-\$ or US-5857898-\$ or US-585789-\$ or US-58578-\$ or US-585789-\$ or US-58578-\$ o		1		ΠΟΡΔΤΟ	2004/06/17 14 14
US-525898-\$, or US-587293-\$ or US-5982681-\$), did. or US-200200194557-\$ or US-20074394-\$ or US-20020056063-\$), did.) and (I/O near2 controller) (built-in-self-test or built-in\$1self-test or BIST) same parallel USPAT; US-PGPUB; EPC; JPO; DERWENT; IBM_TDB USPAT;					200 17007 17 11:11
US-20020194567-\$ or US-20020174394-\$ or US-200201940567-\$ or US-20020194057-\$ or US-20020194057-			US-6208477-\$ or US-5784382-\$ or US-5355369-\$ or	EPO; JPO;	
US-20020056063-\$), did,) and (I/O near2 controller) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB and memory USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB and memory USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB and memory USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB and memory USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB u					
2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:19 2004/06/17 14:29 2004/06/17 14:39 2004/06/17 15:14 2004/06/17				IRM_LDR	
- 261 ((built-in-self-test or built-in\$1self-test or BIST) same parallel)	-	308		USPAT;	2004/06/17 14:19
- 261 (((built-in-self-test or built-in\$1self-test or BIST) same parallel) USPAT; USPGPUB; EPO, UPO; DERWENT; IBM TDB USPAT; USPGPUB; EPO, UPO; DERWENT; IBM TDB USPAT; USPGPUB; EPO; UPO; DERWENT; I					
BM TDB					
USPAT: USPAT: USPAT: USPAT: USPAT: USPAT: USPAT: USPAT: USPGPUB: EPO: JPO: DERWENT: IBM TDB USPAT: USPGPUB: E					
and memory 261 ((((built-in-self-test or built-in\$1self-test or BIST) same parallel) and memory) 699 ((((built-in-self-test or built-in\$1self-test or BIST) same (parallel) near4 testing)) and memory) 2004/06/17 14:24 US-PGPUB; EPC, JPO; DERWENT; IBM, TDB USPAT; US-PGPUB; EPC, JPO; DERWE	_	261	((built-in-self-test or built-in\$1self-test or BIST) same parallel)		2004/06/17 14:23
- 261 ((((built-in-self-test or built-in\$1self-test or BIST) same parallel) and memory) - 69 ((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) and memory) - 32 ((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 32 (((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 (((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 630043 (((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 630043 (((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 640043 (((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 658 (((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 658 (((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 665 ((((((((((((((((((((((((((((((((((US-PGPUB;	
- 261 ((((built-in-self-test or built-in\$1self-test or BIST) same parallel) (((built-in-self-test or built-in\$1self-test or BIST) same (parallel) ((((built-in-self-test or built-in\$1self-test or BIST) same ((((built-in-self-test or BIST) same (((((built-in-self-test or BIST) same ((((((built-in-self-test or BIST) same ((((((((((((((((((((((((((((((((((((
- 261 ((((built-in-self-test or built-in\$1self-test or BIST) same parallel) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT					
and memory) -	-	261	(((built-in-self-test or built-in\$1self-test or BIST) same parallel)		2004/06/17 14:24
- 69 ((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) and memory) - 32 ((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent)) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent)) near4 testing)) same memory \$2RAM) - 2004/06/17 14:37 (2004/06/17 14:39 (2004/06/17 14:48 (2004/06/17 14:48 (2004/06/17 14:48 (2004/06/17 14:48 (2004/06/17 14:48 (2004/06/17 14:48 (2004/06/17 15:14 (2004/06/17 15:14 (2004/06/17 15:14 (2004/06/17 15:14 (2004/06/18 09:18				US-PGPUB;	
- 32 (((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) and memory) - 32 ((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 22 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 22 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 22 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 22 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 22 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 22 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) same (parallel concur					
- 69 ((((built-in-self-test or built-in\\$1self-test or BIST) same (parallel near4 testing)) and memory) - 32 ((((built-in-self-test or built-in\\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \\$2RAM) - 630043 ((((built-in-self-test or built-in\\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \\$2RAM) - 58 (program\\$5 near5 (built-in-self-test or built-in\\$1self-test or BIST) same ((parallel SPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPA					
- 32 (((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 78 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) BUSPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	-	69	(((built-in-self-test or built-in\$1self-test or BIST) same (parallel		2004/06/17 14:27
- 32 (((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent)) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent)) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 714/733.ccls. - 714/711.ccls. - 714/711.ccls. - 221 714/711.ccls.				US-PGPUB;	
- 630043 (((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 58 ((program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 ((programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 ((programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 ((programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 ((programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 ((programmable near5 (built-in-self-test or built-in\$1self-test or built-in\$1self-test or BIST) (US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PAT; US-PGPUB;					
- 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same (parallel near4 testing)) same memory) - 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 665 714/733.ccls. - 714/711.ccls. - 221 714/711.ccls. - 221 714/711.ccls.					
1	_	32	(((built-in-self-test or built-in\$1self-test or BIST) same (parallel		2004/06/17 14:37
- 630043 (((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 665 714/733.ccls. - 714/711.ccls. - 167 714/711.ccls. - 1714/711.ccls. - 1714/711.ccl					
- 630043 ((((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (programmable near5 (built-in-self-test or built-in\$1self-test or BIST) BIST)) BIST) B		:			
- 630043 (((built-in-self-test or built-in\$1self-test or BIST) same ((parallel concurrent) near4 testing)) same memory \$2RAM) - 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 665 714/733.ccls. - 714/711.ccls. - 221 714/711.ccls. - 221 714/711.ccls. - 3004/06/17 14:39 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				1	
- 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 23 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 24 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) BIST) 25 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST) 26 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST) 27 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST) 2004/06/18 13:34 2004/06/18 13:34 2004/06/18 13:34 2004/06/17 15:14 2004/06/17 15:14 2004/06/18 09:18 2004/06/18 09:18	_	630043	(((built-in-self-test or built-in\$1self-test or BIST) same ((parallel		2004/06/17 14:39
- 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 23 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 24 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 25 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST) (built-in-self-test or BIST) (b			concurrent) near4 testing)) same memory \$2RAM)		
- 58 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 32 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 33 (program\$5 near5 (built-in-self-test or built-in\$1self-test or BIST)					
- 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 23 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 24 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC 25 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) BM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWEN					
22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (665 714/733.ccls. 714/711.ccls. 2004/06/18 13:34 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	-	58	(program\$5 near5 (built-in-self-test or built-in\$1self-test or	USPAT;	2004/06/17 14:48
- 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 665 714/733.ccls. - 221 714/711.ccls. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
- 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - (665 714/733.ccls. 714/711.ccls. 714/7					
- 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 22 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST)) and ASIC - 32 (programmable near5 (built-in-self-test or built-in\$1self-test or BIST) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
- 221 714/711.ccls.	-	22		USPAT;	2004/06/18 13:34
- 221 714/711.ccls. DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			BIST)) and ASIC		
- 221 714/711.ccls. IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
- 221 714/711.ccls. 2004/06/17 15:14 US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	-	665	714/733.ccls. \	USPAT;	2004/06/17 15:14
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			1 714/7/1	1	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB		\			
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB			I = I = I		
EPO; JPO; DERWENT; IBM_TDB	-	221	714/711.ccls. / /	USPAT;	2004/06/18 09:18
DERWENT; IBM_TDB					
IBM_TDB					
- 24343983 ((714/711, 733.ccls.) and (interface same BIST) @py<2001) USPAT; 2004/06/18 09:21					
	-	24343983	((714/711, 733.ccls.) and (interface same BIST) @py<2001)		2004/06/18 09:21
US-PGPUB;					
EPO; JPO; DERWENT;					
IBM_TDB					

-	2	((714/711, 733.ccls.) and (interface same BIST) and	USPAT;	2004/06/18 09:22
		@py<2001)	US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
	-		IBM TDB	
_	44	((714/711, 733.ccls.) and interface and @py<2001)	USPAT:	2004/06/18 09:23
			US-PGPUB:	
			EPO; JPO;	
			DERWENT:	
			IRM TOR	